# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



#### INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7:		(11) International Publication Number: WO 00/67424		
H04L 9/32	A1	(43) International Publication Date: 9 November 2000 (09.11.00)		
(21) International Application Number: P	CT/US00/109	58 (81) Designated States: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM,		
(22) International Filing Date: 24 April	2000 (24.04.0			

US

(71)(72) Applicant and Inventor: HASTE, Thomas, E., III [US/US]; Suite 734, 11288 Ventura Boulevard, Studio City, CA 91604 (US).

29 April 1999 (29.04.99)

(74) Agents: HOOVER, George, W. et al.; Blakely, Sokoloff, Taylor & Zafman, 7th Floor, 12400 Wilshire Boulevard, Los Angeles, CA 90025-1026 (US). (81) Designated States: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).


Published

With international search report.

(54) Title: GAMING SYSTEM WITH CENTRAL CONTROL

#### (57) Abstract

A centralized gaming system (10) has a host computer (12), a plurality of gaming terminals (14) and a communications network (16) connecting the gaming terminals to the host computer. The gaming terminals are preferably configured to play a variety of games. Operation of the gaming terminals is largely autonomous; however, game outcomes are determined by the central host computer. When a game is initiated by a player at a gaming terminal, the gaming terminal sends a game outcome request to the host computer over the communications network. In response to the request, the host computer sends the gaming terminal game outcome determining information such as, for example, a random number. The gaming terminal receives the game outcome accordingly. The gaming terminal then communicates with the host computer to validate the game outcome and completes a game outcome action in accordance with the result of the validation.



(30) Priority Data:

09/301,864

## FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
АT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
ΑZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	ΙE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	· Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of Americ
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

۹,`

1)

## GAMING SYSTEM WITH CENTRAL CONTROL

## **BACKGROUND OF THE INVENTION**

#### 1. PRIOR APPLICATION

This application claims the benefit of co-pending provisional application Serial No. 60/107,265 filed November 4, 1998.

## 2. FIELD OF THE INVENTION

This invention relates generally to the field of gaming systems. More particularly, the gaming system of the present invention employs a centralized host computer and distributed gaming stations. Individual game outcomes at the gaming stations are determined by information provided by the host computer.

#### 3. BACKGROUND

Slot machines and similar mechanical gaming devices have been almost universally replaced by electronic devices. Many such electronic devices emulate the corresponding mechanical gaming devices. Electronic gaming devices have also been developed for individual play of games such as black jack, poker, etc.

Electronic gaming devices are generally more tamper-resistant than their mechanical counterparts. Nevertheless, sophisticated thieves are able to tamper with the operation of electronic gaming devices to improve the odds of winning or to force a winning play outright.

Centralized gaming control provides an opportunity to substantially reduce gaming machine tampering, since a centralized gaming controller can be placed in a highly secure environment. Tampering with an individual gaming terminal will not affect the outcome of the game.

Gaming systems with centralized control are known in the art. For example, U.S. Patent No. 5,586,937 issued to Menashe discloses an interactive computerized gaming system with remote terminals. The remote terminals locally generate screen graphics and sound, but game outcomes are determined by random numbers generated in the host computer. Once a random number has been sent to a player station, the game outcome is determined and play proceeds accordingly. No provision is made for verification of the game outcome.

## **SUMMARY OF THE INVENTION**

The present invention provides a centralized gaming system having a host computer, a plurality of gaming terminals and a communications network connecting the gaming terminals to the host computer. The gaming terminals are preferably configured to play a variety of games. Operation of the gaming terminals is largely autonomous; however, game outcomes are determined by the central host computer. When a game is initiated by a player at a gaming terminal, the gaming terminal sends a game outcome request to the host computer over the communications network. In response to the request, the host computer sends the gaming terminal game outcome determining information such as, for example, a random number. The gaming terminal receives the game outcome determining information and determines the game outcome accordingly. The gaming terminal then communicates with the host computer to validate the game outcome and completes a game outcome action in accordance with the result of the validation.

ų.

## BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a block diagram of a gaming system in accordance with the present invention.

Figure 2 is a functional flow diagram of a method of conducting a game of chance according to a first embodiment of the invention.

Figure 3 is a functional flow diagram of a method of conducting a game of chance according to a second embodiment of the invention.

## **DETAILED DESCRIPTION OF THE INVENTION**

In the following description, for purposes of explanation and not limitation, specific details are set forth in order to provide a thorough understanding of the present invention. However, it will be apparent to one skilled in the art that the present invention may be practiced in other embodiments that depart from these specific details. In other instances, detailed descriptions of well-known methods and devices are omitted so as to not obscure the description of the present invention with unnecessary detail.

Figure 1 is a block diagram of a centralized gaming system 10 in accordance with the present invention. Gaming system 10 has a central host computer 12. A plurality of gaming terminals 14 are coupled to host computer 12 by communications network 16. Gaming terminals 14 preferably resemble conventional electronic gaming devices. Gaming terminals 14 are preferably configured to play a variety of games such as slot machine games, poker, black jack, etc. The gaming terminals may be distributed within a casino in which a host computer 12 is installed. A single host computer may be used to control gaming terminals at a plurality of casinos or similar establishments. Gaming terminals may even comprise home computers linked to a host computer by the Internet or other data communication means.

The gaming terminals 14 include means for receiving money or equivalent means for accepting a player wager. For example, player accounts may be maintained in host computer 12, in which case controls are provided at the gaming terminals for allowing a player to debit his or her account when placing a wager. Gaming terminals 14 also include appropriate controls for initiating games and making whatever player choices are permitted in accordance with the rules of such games. Gaming terminals 14 preferably include a video screen for displaying the progress of the game and the game outcome.

Figure 2 is a functional flow diagram illustrating the operation of gaming system 10. Beginning at step 20, the player inserts money into the gaming terminal or performs an equivalent action to place a wager. When the wager has been accepted, the player utilizes the controls on the gaming terminal to initiate a game at step 22. Continuing to step 24, the gaming terminal communicates with the host computer to request game outcome determining information. Such information is then provided to the gaming terminal by the host computer at step 26. The game outcome determining information may be a random number generated by the host

computer, a semi-random number selected as the next number in a stored list of numbers or a specific game outcome selected as the next entry in a list of predetermined game outcomes. The gaming terminal receives the game outcome determining information and determines the game outcome therefrom at step 28.

Once the game outcome has been determined, an appropriate display may be presented to the player on the video screen of the gaming terminal. Alternatively, the game outcome may be treated as a provisional game outcome pending validation thereof. In the latter case, there will be a delay before presenting the appropriate display to the player; however, such delay would be virtually imperceptible. At step 30, the gaming terminal requests validation of the game outcome. If the gaming terminal has been tampered with, the game outcome at the terminal may be different from the game outcome that should have been determined from the game outcome determining information provided by the host computer. For example, a thief might tamper with a gaming terminal so that it provides a winning display when the actual game outcome should have been a loss. In step 30, the gaming terminal determines what is being displaying and contacts the host computer to determine if what is being displayed is, in fact, what should be displayed. The host computer performs the comparison at set 32 and determines if there is a problem. If the comparison reveals a mismatch, it may be presumed that the gaming terminal has been tampered with, and the host computer can notify casino security accordingly. An appropriate error display can then be presented at the gaming terminal in step 34. However, if the validation is successful, the appropriate game outcome action is performed at the gaming terminal. If the game outcome has been validated as a win, an appropriate display is presented and the player is paid or, alternatively, the player's account is credited with the amount of the win. If the game outcome is a loss, the gaming terminal prompts the player for a new wager.

Figure 3 is a functional flow diagram of the operation of gaming system 10 in accordance with an alternative embodiment of the invention. Steps 20 – 28 are identical to those of the previously described embodiment. In this embodiment, however, validation of the game outcome is performed by the gaming terminal rather than by the host computer. At step 40, the gaming terminal requests validation of the game outcome by requesting authentication of the previously provided game outcome determining information. The host computer then resends the game outcome determining information to the gaming terminal at step 42. A game outcome is again determined and compared to the previously determined game outcome at step 44. If there is a match, the game outcome is validated and the

appropriate game outcome action is performed. If the two game outcomes do not match, it may be presumed that the gaming terminal has been tampered with and an appropriate alert can be provided. This method is somewhat less desirable than the method described in connection with Figure 2, since it may be possible to tamper with the gaming terminal in such a way that the two game outcomes will match even though they are not the appropriate outcomes for the game outcome determining information provided by the host computer.

Aside from improving security for a gaming system, the present invention can also be advantageously used to provide a more even distribution of winning outcomes within the gaming system. With conventional electronic gaming devices, if a particular machine gets "hot", only that machine will have a higher incidence of winning outcomes. With the centralized system of the present invention, the game outcomes are determined by the host computer. If the host computer gets "hot", the winning outcomes will be distributed throughout the gaming system.

It will be recognized that the above described invention may be embodied in other specific forms without departing from the spirit or essential characteristics of the disclosure. Thus, it is understood that the invention is not to be limited by the foregoing illustrative details, but rather is to be defined by the appended claims.

**.** ).

## **CLAIMS**

#### WHAT IS CLAIMED IS:

1. In a gaming system including a host computer, at least one gaming terminal and communication means for connecting the gaming terminal to the host computer, a method of conducting a game of chance comprising the steps of:

initiating a game at the gaming terminal;

sending a game outcome request from the gaming terminal to the host computer via the communication means;

sending game outcome determining information from the host computer to the gaming terminal in response to the game outcome request;

receiving the game outcome determining information at the gaming terminal and determining a game outcome therefrom;

sending a request for validation of the game outcome from the gaming terminal to the host computer;

validating the game outcome; and

authorizing a game outcome action in accordance with a result of said validation.

- 2. The method of claim 1 wherein the game outcome determining information comprises a random number.
- 3. The method of claim 1 wherein the game outcome determining information comprises a next entry in a stored set of predetermined game outcomes.
- 4. The method of claim 1 wherein the game outcome action comprises a payment to a game player if the game outcome is a winning outcome and is successfully validated.
- 5. The method of claim 1 wherein the step of validating the game outcome is performed in the host computer.
- 6. The method of claim 1 wherein the request for validation of the game outcome comprises a request for authentication of the game outcome determining information.

- 7. The method of claim 6 further comprising the step of resending the game outcome determining information from the host computer to the gaming terminal in response to the request for authentication.
- 8. The method of claim 6 wherein the step of validating the game outcome is performed in the gaming terminal.
- 9. A gaming system including a host computer, at least one gaming terminal remote form the host computer and communication means for connection the gaming terminals to the host computer wherein:

the gaming terminal includes means for sending a game outcome request to the host computer via the communication means;

the host computer includes means for responding to the gaming terminal with game outcome determining information;

the gaming terminal includes means for receiving the game outcome determining information, determining a game outcome therefrom and sending a request for validation of the game outcome to the host computer;

one of the host computer and gaming terminal includes means for validating the game outcome and authorizing a game outcome action.

- 10. The system of claim 9 wherein the game outcome determining information comprises a random number.
- 11. The system of claim 9 wherein the game outcome determining information comprises a next entry in a stored set of predetermined game outcomes.
- 12. The system of claim 9 wherein the game outcome action comprises a payment to a game player if the game outcome is a winning outcome and is successfully validated.
- 13. The system of claim 9 wherein the request for validation of the game outcome comprises a request for authentication of the game outcome determining information.
- 14. The system of claim 13 wherein the host computer resends the game outcome determining information to the gaming terminal in response to the request for authentication.




FIG. 1

1, 0




FIG. 2

SUBSTITUTE SHEET (RULE 26)




FIG. 3

## INTERNATIONAL SEARCH REPORT

International application No. PCT/US00/10958

IPC(7)	SSIFICATION OF SUBJECT MATTER :H04L 9/32								
US CL: 463/42 According to International Patent Classification (IPC) or to both national classification and IPC									
	LDS SEARCHED								
Minimum c	locumentation searched (classification system follower	ed by classification symbols)							
U.S. :	463/42, 40, 41, 1, 29, 20, 25, 12, 13, 16; 340/825								
Documenta NONE	tion searched other than minimum documentation to th	e extent that such documents are included	in the fields searched						
Electronic o	lata base consulted during the international search (na	ame of data base and, where practicable,	search terms used)						
C. DOC	UMENTS CONSIDERED TO BE RELEVANT								
Category*	Citation of document, with indication, where ap	propriate, of the relevant passages	Relevant to claim No.						
Х, Р	US 5,970,143 A (SCHNEIER et al.) document.	1-14							
A	US 5,779,545 A (BERG et al.) 14 Jul 35; col. 4, lines 50-54.	1-14							
A	US 5,586,937 A (MENASHE) 24 Dec 11-12.	1-14							
A	US 5,643,086 A (ALCORN et al.) 01	1-14							
A, P	US 5,882,258 A (KELLY et al.) 16 N 53-61.	1-14							
Furth	er documents are listed in the continuation of Box C	. See patent family annex.							
"A" doc	ecial categories of cited documents: current defining the general state of the art which is not considered	"T" later document published after the inte date and not in conflict with the applica principle or theory underlying the inv	ition but cited to understand the						
to be of particular relevance  E" earlier document published on or after the international filing date  "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step									
cité spé	cited to establish the publication date of another citation or other special reason (as specified)  document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is								
me	document referring to an oral disclosure, use, exhibition or other means  document published prior to the international filing date but later than  "&"  document member of the same patent family								
the	priority date claimed actual completion of the international search	Date of mailing of the international sea							
26 MAY 2	·	21 JUN 2000							
Commission Box PCT	nailing address of the ISA/US her of Patents and Trademarks , D.C. 20231	Authorized officer JULIE KASICK	Sheila Veney   Paralegal Specialist						